

Message

From: Bury, Carolyn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DE91ECB9B8C044A4BF4C350615AE3633-CBURY]
Sent: 11/21/2018 4:49:04 PM
To: Chris Parks [cparks@iwmconsult.com]
CC: Neal, Conor [Neal.Conor@epa.gov]; Joe Bianchi (jbian@amphenol-aao.com) [jbian@amphenol-aao.com]; Sundar, Bhooma [sundar.bhooma@epa.gov]; Brad Gentry [bgentry@iwmconsult.com]
Subject: RE: Confidential - Sewer Gas and Soil Gas Data Validation Reports

Thanks for all the validation reports and happy Thanksgiving to all of you.

Carolyn

From: Chris Parks <cparks@iwmconsult.com>
Sent: Wednesday, November 21, 2018 10:42 AM
To: Bury, Carolyn <bury.carolyn@epa.gov>
Cc: Neal, Conor <Neal.Conor@epa.gov>; Joe Bianchi (jbian@amphenol-aao.com) <jbian@amphenol-aao.com>; Sundar, Bhooma <sundar.bhooma@epa.gov>; Brad Gentry <bgentry@iwmconsult.com>
Subject: Confidential - Sewer Gas and Soil Gas Data Validation Reports

Carolyn,

Please see the attached lab verification reports from Laboratory Data Consultants, Inc.

Sewer Gas Sampling Events:

LDC Project #43160, September 25, 2018

We have not received the report for the most recent sewer gas sampling event yet.

Exterior and Sewer Backfill Material Soil Gas Sampling Events

LDC Project #43299A, October 16, 2018

LDC Project #43299B, October 16, 2018

Off-Site Temp Well Groundwater Sampling Event:

LDC Project #43514, November 2, 2018

Off-Site Monitoring Well Sampling Event

LDC Project #43160, September 25, 2018

Email #3. I believe this should catch us up on the 3rd Party Validation Reports.

Please let me know if you have any questions.

Thank you,
 Chris



Christopher D. Parks, LPG
Senior Project Manager
7428 Rockville Road
Indianapolis, IN 46214
Direct: (317) 968-9260
Mobile: (317) 847-2600
Office: (317) 347-1111 x 127
Fax: (317) 347-9326